



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 17.04.2023

Version number: 2.0 (replaces version 1.0)

Revision: 17.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking:

1.1 Product identifier:

Trade name: Magnetic Beads BLM**UFI: K550-9NCD-640V-ETHG**

1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

Application of the substance / the preparation: Laboratory chemicals

1.3 Details of the supplier of the safety data sheet:

Manufacturer/Supplier:

LGC Genomics GmbH

Ostendstr. 25

12459 Berlin • Germany

Tel. +49 (0)30 5304 2200

Fax. +49 (0)30 5304 2201

Email: techsupport@LGCGroup.com

Further information obtainable from: Business Unit Nucleic Acid Preparation

1.4 Emergency telephone number:

GifTinformatiionszentrum Mainz / Poison Information Center Mainz, Germany

Tel.: +49-(0)-6131-19240 / 24 h

SECTION 2: Hazards identification:

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008:

GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:

GHS05

Signal word: Danger**Hazard-determining components of labelling:**

guanidinium thiocyanate

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 17.04.2023

Version number: 2.0 (replaces version 1.0)

Revision: 17.04.2023

Trade name: Magnetic Beads BLM

(Contd. of page 1)

P310 Immediately call a POISON CENTER/doctor.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH032 Contact with acids liberates very toxic gas.

2.3 Other hazards:**Results of PBT and vPvB assessment:****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients:****3.2 Mixtures:****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 593-84-0	guanidinium thiocyanate	>10-<25%
EINECS: 209-812-1	☞ Skin Corr. 1C, H314; ☠ Acute Tox. 4, H302; Acute Tox. 4,	
Reg.nr.: 01-2120735072-65	H312; Acute Tox. 4, H332; Aquatic Chronic 3, H412, EUH032, EUH071	

Additional information: For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures:****4.1 Description of first aid measures:****General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

After inhalation: Supply fresh air; consult doctor in case of complaints.**After skin contact:** Immediately wash with water and soap and rinse thoroughly.**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**After swallowing:**

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures:**5.1 Extinguishing media:****Suitable extinguishing agents:**CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**For safety reasons unsuitable extinguishing agents:** Water with full jet**5.2 Special hazards arising from the substance or mixture:** No further relevant information available.**5.3 Advice for firefighters:****Protective equipment:**

Mouth respiratory protective device.

Do not inhale explosion gases or combustion gases.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 17.04.2023

Version number: 2.0 (replaces version 1.0)

Revision: 17.04.2023

Trade name: Magnetic Beads BLM

(Contd. of page 2)

SECTION 6: Accidental release measures:

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

6.4 Reference to other sections:

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling: Keep receptacles tightly sealed.**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities:****Storage:****Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.**Information about storage in one common storage facility:** Do not store together with acids.**Further information about storage conditions:** Keep container tightly sealed.**Storage class:** 8 B**7.3 Specific end use(s):** No further relevant information available.

SECTION 8: Exposure controls/personal protection:

8.1 Control parameters:**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls:**Appropriate engineering controls:** No further data; see item 7.**Individual protection measures, such as personal protective equipment:****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.**Hand protection:** Protective gloves**Material of gloves:**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.35 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 17.04.2023

Version number: 2.0 (replaces version 1.0)

Revision: 17.04.2023

Trade name: Magnetic Beads BLM

(Contd. of page 3)

Eye/face protection: Tightly sealed goggles**SECTION 9: Physical and chemical properties:****9.1 Information on basic physical and chemical properties:****General Information:**

Colour:	Black
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range:	Undetermined.
Flammability:	Not determined.
Lower and upper explosion limit:	
Lower:	Not applicable.
Upper:	Not applicable.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH:	7
Viscosity:	
Kinematic viscosity:	Not applicable.
Dynamic:	Not applicable.
Solubility:	
water:	Soluble.
Partition coefficient n-octanol/water (log value):	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density:	
Density at 20 °C:	1.283 g/cm ³
Relative density:	Not determined.
Vapour density:	Not applicable.

9.2 Other information:

Appearance:	
Form:	Suspension
Important information on protection of health and environment, and on safety.:	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition:	
Evaporation rate:	Not applicable.

Information with regard to physical hazard classes:

Explosives:	Void
Flammable gases:	Void
Aerosols:	Void
Oxidising gases:	Void
Gases under pressure:	Void
Flammable liquids:	Void
Flammable solids:	Void
Self-reactive substances and mixtures:	Void
Pyrophoric liquids:	Void
Pyrophoric solids:	Void
Self-heating substances and mixtures:	Void

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 17.04.2023

Version number: 2.0 (replaces version 1.0)

Revision: 17.04.2023

Trade name: Magnetic Beads BLM

(Contd. of page 4)

Substances and mixtures, which emit flammable

gases in contact with water:	Void
Oxidising liquids:	Void
Oxidising solids:	Void
Organic peroxides:	Void
Corrosive to metals:	Void
Desensitised explosives:	Void

SECTION 10: Stability and reactivity:**10.1 Reactivity:** No further relevant information available.**10.2 Chemical stability:****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions: Contact with acids releases toxic gases.**10.4 Conditions to avoid:** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:**

Corrosive gases/vapours

Poisonous gases/vapours

SECTION 11: Toxicological information:**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:****Acute toxicity:** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****ATE (Acute Toxicity Estimates)**

Oral LD50 2,965 mg/kg (rat)

Dermal LD50 5,500 mg/kg

Inhalative LC50/4 h 7.5 mg/l

593-84-0 guanidinium thiocyanate

Oral LD50 593 mg/kg (rat)

Dermal LD50 1,100 mg/kg (ATE)

Inhalative LC50/4 h 1.5 mg/l (ATE)

Skin corrosion/irritation:

Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.**Carcinogenicity:** Based on available data, the classification criteria are not met.**Reproductive toxicity:** Based on available data, the classification criteria are not met.**STOT-single exposure:** Based on available data, the classification criteria are not met.**STOT-repeated exposure:** Based on available data, the classification criteria are not met.**Aspiration hazard:** Based on available data, the classification criteria are not met.**11.2 Information on other hazards:****Endocrine disrupting properties:**

None of the ingredients is listed.

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 17.04.2023

Version number: 2.0 (replaces version 1.0)

Revision: 17.04.2023

Trade name: Magnetic Beads BLM

(Contd. of page 5)

SECTION 12: Ecological information:

12.1 Toxicity:

Aquatic toxicity:

593-84-0 guanidinium thiocyanate

EC50 42.4 mg/l /48 h (daphnia)

LC50 89.1 mg/l /96 h (fish)

ERC50 130 mg/l /72 h (algae)

12.2 Persistence and degradability: No further relevant information available.**12.3 Bioaccumulative potential:** No further relevant information available.**12.4 Mobility in soil:** No further relevant information available.

12.5 Results of PBT and vPvB assessment:

PBT: Not applicable.**vPvB:** Not applicable.

12.6 Endocrine disrupting properties:

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects:

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations:

13.1 Waste treatment methods:

European waste catalogue:

Dispose of contents/container in accordance with local/regional/national/international regulations.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information:

14.1 UN number or ID number:

ADR, IMDG, IATA

UN1760

14.2 UN proper shipping name:

ADR

1760 CORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate)

IMDG, IATA

CORROSIVE LIQUID, N.O.S. (guanidinium thiocyanate)

14.3 Transport hazard class(es):

ADR, IMDG, IATA

**Class:**

8 Corrosive substances.

Label:

8

14.4 Packing group:

ADR, IMDG, IATA

III

(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 17.04.2023

Version number: 2.0 (replaces version 1.0)

Revision: 17.04.2023

Trade name: Magnetic Beads BLM

(Contd. of page 6)

14.5 Environmental hazards:**Marine pollutant:**

No

14.6 Special precautions for user:

Warning: Corrosive substances.

Hazard identification number (Kemler code):

80

EMS Number:

F-A,S-B

Stowage Category:

A

Stowage Code:

SW2 Clear of living quarters.

14.7 Maritime transport in bulk according to IMO**instruments:**

Not applicable.

Transport/Additional information:**ADR****Limited quantities (LQ):**

5L

Transport category:

3

Tunnel restriction code:

E

UN "Model Regulation":UN 1760 CORROSIVE LIQUID, N.O.S.
(GUANIDINIUM THIOCYANATE), 8, III**SECTION 15: Regulatory information:****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:****Directive 2012/18/EU:****Named dangerous substances - ANNEX I:** None of the ingredients is listed.**REGULATION (EC) No 1907/2006 ANNEX XVII:** Conditions of restriction: 3**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II:**

None of the ingredients is listed.

REGULATION (EU) 2019/1148:**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)):**

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS:

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors:

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors:

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information:**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

EUH032 Contact with acids liberates very toxic gas.

EUH071 Corrosive to the respiratory tract.

(Contd. on page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 17.04.2023

Version number: 2.0 (replaces version 1.0)

Revision: 17.04.2023

Trade name: Magnetic Beads BLM

(Contd. of page 7)

Training hints:

Employees who use the product have to be trained on risks for health, hygiene, use of individual protection, accident preventive actions, rescue actions, etc.,

Department issuing SDS:

ADEEGO GmbH
Wildsteig 4A
D-42113 Wuppertal
Tel. +49 (0) 202 2575700
Fax. +49 (0) 202 2575701
Email: mail@adeego.de
www.adeego.de

© Copyright by ADEEGO GmbH

Contact: Dr. Axel Deeg**Version number of previous version:** 1.0**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
