

SD3140-R00

# 1. Identification

#### **GHS PRODUCT IDENTIFIER**

Product name: ETT Activator (0.25M or 0.5M)

#### OTHER MEANS OF IDENTIFICATION

Item number: 3140/3142 (0.25M), 3145/3146 (0.5M)

Catalogue number(s): 3140-YZZZ, 3142-YZZZ, 3145-YZZZ, 3146-YZZZ

where Y=letters A-Z, ZZZ=numbers 000-999

Brand: Not applicable.

## RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE

For laboratory and manufacturing use. Not for drug, household or other use.

#### **SUPPLIER'S DETAILS**

 Link Technologies Ltd
 Tel: +44 (0) 1698 849911

 3 Mallard Way
 Fax: +44 (0) 1698 849922

 Strathclyde Business Park
 E-Mail: sales@linktech.co.uk

Bellshill

Lanarkshire, ML4 3BF

Scotland

## **EMERGENCY PHONE NUMBER**

+44 (0) 1698 849911 (Monday to Friday 8 am to 6 pm)

# 2. Hazard identification

#### GHS CLASSIFICATION OF THE SUBSTANCE/MIXTURE

Classification according to Regulation (EC) No. 1272/2008

Flammable Liquid: Category 2

Acute Toxicity, Oral: Category 4

Acute Toxicity, Inhalation: Category 4

Serious Eye Damage: Category 1

Classification according to EU Directives 67/548/EEC or 1999/45/EC

F Highly Flammable R11

Xn Harmful R20/21/22

Xi Irritant R36



SD3140-R00

## **GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS**

Pictogram



Signal word: Danger

**Hazard Statements** 

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed. H332 Harmful if inhaled.

H318 Causes serious eye damage.

**Precautionary Statements** 

**Prevention** 

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Wear protective gloves/eye protection/face protection.

Response

P312 Call a doctor if you feel unwell.

P304 + P312 IF INHALED: Call a doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

**OTHER HAZARDS** 

None.

# 3. Composition/information on ingredients

#### **MIXTURES**

# Hazardous ingredients according to Regulation (EC) No 1272/2008

| Component                      |                       | Classification  | Concentration |  |  |  |
|--------------------------------|-----------------------|---|---------------|--|--|--|
| Acetonitrile                   |                       |   | -             |  |  |  |
| CAS No                         | 75-05-8               | Flormable Liquid 2: Acute Tey, 4: Eve                                     | 50-100%       |  |  |  |
| EC No                          | 200-835-2             | Flammable Liquid 2; Acute Tox. 4; Eye Irritation 2; H225, H302+H312+H332, |               |  |  |  |
| Index No                       | 608-001-00-3          |   |               |  |  |  |
| Registration No                | 01-2119471307-38-XXXX | H319,   |               |  |  |  |
| 5-Ethylthio-1H-tetrazole (ETT) |                       |   |               |  |  |  |
| CAS No                         | 89797-68-2            | Skin Irrit. 2; Eye Dam. 1; STOT SE 3;<br>H315, H318, H335,                | <10%          |  |  |  |



SD3140-R00

#### Hazardous ingredients according to Directive 1999/45/EC

| Component                      |                       | Classification               | Concentration |  |  |
|--------------------------------|-----------------------|------------------------------|---------------|--|--|
| Acetonitrile                   |                       |                              |               |  |  |
| CAS No                         | 75-05-8               |                              | 50.4000/      |  |  |
| EC No                          | 200-835-2             | E Va B44   B20/24/22   B26   |               |  |  |
| Index No                       | 608-001-00-3          | F, Xn, R11 – R20/21/22 – R36 | 50-100%       |  |  |
| Registration No                | 01-2119471307-38-XXXX |                              |               |  |  |
| 5-Ethylthio-1H-tetrazole (ETT) |                       |                              |               |  |  |
| CAS No                         | 89797-68-2            | Xi, R36/37/38                | <10%          |  |  |

## 4. First aid measures

#### **DESCRIPTION OF NECESSARY MEASURES**

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

#### In case of skin contact

Remove any contaminated clothing. Wash off with soap and plenty of water.

#### In case of eye contact

Flush eyes copiously with water for at least 15 minutes. Use a sterile eye wash if available.

#### If swallowed

Do NOT induce vomiting. Keep person calm and immobile. Rinse mouth with water if conscious. Never give anything by mouth to an unconscious person.

## MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. See section 11.

#### INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY

No data available.

# 5. Fire-fighting measures

## **SUITABLE EXTINGUISHING MEDIA**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.



SD3140-R00

# SPECIFIC HAZARDS ARISING FROM THE CHEMICAL (E.G. NATURE OF ANY HAZARDOUS COMBUSTION PRODUCTS)

Carbon oxides, nitrogen oxides (NOx), Sulphur oxides

#### SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

Wear mask and protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus if necessary.

#### **FURTHER INFORMATIONS**

Use water spray to cool unopened containers.

## 6. Accidental release measures

## PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Wear protective clothing, respirator, chemical safety goggles, rubber gloves and rubber boots. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Be aware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### **ENVIRONMENTAL PRECAUTIONS**

Prevent further leakage or spillage, if safe to do so. Prevent product from entering drains.

## METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Contain spills using absorbent barriers where available. Clean the contaminated area thoroughly with water taking care to avoid breathing fumes. Dispose of all cleaning materials with care (see section 13), where possible containing in sealed containers for appropriate disposal.

## 7. Handling and storage

# PRECAUTIONS FOR SAFE HANDLING

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Do not eat, drink or smoke when using this product. Keep away from sources of ignition. Take measures to prevent build-up of electrostatic charge.

## CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Containers should be kept sealed and safely stored when not in use. Store in a cool, dry, well-ventilated area. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store under inert gas.



SD3140-R00

# 8. Exposure controls/personal protection

## CONTROL PARAMETERS (OCCUPATIONAL EXPOSURE LIMIT VALUES OR BIOLOGICAL LIMIT VALUES)

| Component    | CAS No  | Value   | Control<br>Parameters           | Basis  |
|--------------|---------|---|---------------------------------|--|
| Acetonitrile | 75-05-8 | TWA   | 40 ppm<br>70 mg/m <sup>3</sup>  | Europe – indicative occupational exposure limit values |
|              | Remarks | Identifies the possibility of significant uptake through the skin.  Indicative. |                                 |  |
|              |         | STEL  | 60 ppm<br>102 mg/m <sup>3</sup> | UK – EH40 WEL – Workplace<br>Exposure Limits           |
|              |         | TWA   | 40 ppm<br>68 mg/m <sup>3</sup>  | UK – EH40 WEL – Workplace<br>Exposure Limits           |

#### APPROPRIATE ENGINEERING CONTROLS

General good industrial laboratory hygiene and safety practice. Use product within air-extracted fume hood where possible. Wash hands before breaks and at the end of the workday.

#### INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

## Eye/face protection

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Splash contact - 0.3mm butyl rubber

Breakthrough time: 10 min

#### **Body Protection**

Complete suit protecting against chemicals, flame-retardant antistatic protective clothing. The type of protective equipment must be selected according to the quantity and concentration of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate, use a full-face respirator with multi-purpose combination (US) or type ABEK (EN14387) respirator cartridges as a back-up to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).



SD3140-R00

# 9. Physical and chemical properties

Appearance (physical state, colour etc.):

Odour:

Odour threshold:

No data available

PH:

No data available

Melting point/freezing point: Melting point/range: -46°C

Initial boiling point and boiling range: 81°C at 1,013 hPa

Flash point: 5°C

Evaporation rate: No data available Flammability (solid, gas): No data available

Upper/lower flammability or explosive limits: Upper explosion limit: 16% (V)

Lower explosion limit: 3% (V)

Vapor pressure: 97 hPa at 20°C
Vapor density: No data available
Relative density: 0.780 g/cm3 at 20°C
Water Solubility: No data available
Partition coefficient: n-octanol/water: log Pow: -0.34

Auto-ignition temperature: 525°C

Decomposition temperature:

Viscosity:

No data available

Empirical formula:

Not applicable.

Molecular weight (g/mol):

Not applicable.

# 10. Stability and reactivity

# **REACTIVITY**

No data available.

## **CHEMICAL STABILITY**

Stable under recommended storage conditions.

# **POSSIBILITY OF HAZARDOUS REACTIONS**

No data available.

## CONDITIONS TO AVOID (E.G. STATIC DISCHARGE, SHOCK OR VIBRATION)

Heat, flames and sparks. Extremes of temperature and direct sunlight.



SD3140-R00

#### **INCOMPATIBLE MATERIALS**

Oxidising agents, reducing agents, bases, Alkali metals, acids.

#### HAZARDOUS DECOMPOSITION PRODUCTS

Other decomposition products - no data available.

In the event of fire: see section 5.

# 11. Toxicological information

#### **TOXIC EFFECTS**

Acute toxicity:

No data available
Skin corrosion/irritation:
No data available
Serious eye damage/irritation:
No data available
Respiratory or skin sensitization:
No data available
Germ cell mutagenicity:
No data available

Carcinogenicity: IARC – no component of this product present at levels greater than or equal to

0.1% is identified as probable, possible or confirmed human carcinogen by

IARC.

Reproductive toxicity:

STOT-single exposure:

No data available

STOT-repeated exposure:

No data available

Aspiration hazard:

No data available

#### ADDITIONAL INFORMATION

RTECS: Not available.

Treat as cyanide poisoning; Always have on hand a cyanide first-aid kit, together with proper instructions; The onset of symptoms is generally delayed pending conversion to cyanide; Headache, Dizziness, Rash, Cyanosis, excitement, depression, Drowsiness.

# 12. Ecological information

#### **TOXICITY**

No data available.

# PERSISTENCE AND DEGRADABILITY

No data available.

#### **BIOACCUMULATIVE POTENTIAL**

No data available.



SD3140-R00

#### **MOBILITY IN THE SOIL**

No data available.

#### **OTHER ADVERSE EFFECTS**

No data available.

# 13. Disposal Considerations

#### **DISPOSAL METHODS**

For the safety of persons conducting disposal, recycling or reclamation activities, please refer to the information in section 8 of the SDS. Dispose by incineration at high temperature in an approved incinerator fitted with appropriate environmental protection equipment taking extra care in igniting, as this material is highly flammable. Contaminated packaging should be treated as product. Dispose of in accordance with all applicable Local, National, State and Federal regulations. Labels should not be removed from containers until they have been thoroughly cleaned in an appropriate manner. Containers should not be treated as domestic waste and disposed of appropriately. Always use an approved disposal company. Do not dispose to drains.

# 14. Transport information

**UN** number

ADR/RID: 1648 IMDG: 1648 IATA: 1648

**UN proper shipping name** 

ADR/RID: ACETRONITRILE, SOLUTION IMDG: ACETRONITRILE, SOLUTION

IATA: Acetonitrile, SOLUTION

Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

**Packing group** 

ADR/RID: II IMDG: II IATA: II

**Environmental hazards** 

IMDG Marine Pollutant: No ADR/RID: No IATA: No

Special precautions for the user

No data available.



SD3140-R00

# 15. Regulatory information

This safety datasheet complies with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Fourth revised edition, 2011.

No further safety, health and environmental regulations specific for the product in question are available.

## 16. Other information

Document Number: SD3140-R00

Approved: April 2016

Last Revision Date: No Revisions

Revision history: No revisions

Copyright 2016 Link Technologies Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Link Technologies Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.linktech.co.uk/terms\_and\_conditions for additional terms and conditions of sale.