

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 12/29/2021 Version: 1.0

SECTION 1: Identification

1.1.	Identification		
Produc	t form	:	Mixture
Produc	t name	:	Quasar 705 Amidite
Produc	t code	:	BNS-5067

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Biosearch Technologies, Inc 2199 South McDowell Boulevard Petaluma, CA 94954-6904 USA

1.4. Emergency telephone number

Emergency number

: 1-888-575-9695 (Monday-Friday, 8:00AM-5:00PM)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Sol. 2	H228
Acute Tox. 4 (Oral)	H302
Skin Corr. 1B	H314
Eye Dam. 1	H318
Resp. Sens. 1	H334
Skin Sens. 1	H317
Muta. 2	H341
STOT SE 3	H335

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US)

Signal word (GHS US)	: Danger	
Hazard statements (GHS US)	 H228 - Flammable solid. H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 - May cause respiratory irritation. H341 - Suspected of causing genetic defects. 	
Precautionary statements (GHS US)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting. P302+P352 - If on skin: Wash with plenty of water. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P341 - IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308+P313 - If exposed or concerned: Get medical advice/attention. P330 - Rinse mouth. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P342+P311 - If experiencing respiratory symptoms: Call a poison center or doctor. P363 - Wash contaminated clothing before reuse. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	
411.0	_

Name	Product identifier	%
1H-Benz[e]indole, 1,1,2-trimethyl	(CAS-No.) 41532-84-7	30 - 60
Phosphate(1-), hexafluoro-, potassium	(CAS-No.) 17084-13-8	10 – 30
Phosphorodiamidous acid, tetrakis(1-methylethyl)-,2-cyanoethyl ester	(CAS-No.) 102691-36-1	10 – 30
Hexanoic acid, 6-bromo-	(CAS-No.) 4224-70-8	7 – 13
2-(2-Aminoethoxy)ethanol	(CAS-No.) 929-06-6	7 – 13
lodoethane	(CAS-No.) 75-03-6	1 – 5
Malonaldehyde Dianilide Hydrochloride	(CAS-No.) 28140-60-5	1 – 5

In accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200), the specific chemical identity or exact weight % has been withheld as a trade secret.

SECTION 4: First-aid measures	
4.1. Description of first aid measure	lis
First-aid measures general	If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.
First-aid measures after inhalation	: IF INHALED: Remove to fresh air and keep at rest in a comfortable position for breathing.
First-aid measures after skin contact	: IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention.
First-aid measures after eye contact	 IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Continue rinsing if pain, blinking, or irritation develops or persists, get medical attention. Continue rinsing.
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. Get medical attention if you feel unwell.
4.2. Most important symptoms and	effects (acute and delayed)
Symptoms/effects	: Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing genetic defects.
Symptoms/effects after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes severe skin burns and eye damage. May cause an allergic skin reaction
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Harmful if swallowed.
01/17/2022	Quasar 705 Amidite 2/8

Safety Data Sheet

Chronic sym	nptoms	: Suspected of causing genetic defects.
4.3. Imn	mediate medical attention and	d special treatment, if necessary
	concerned, get medical advice	• • •
SECTION 5:	Fire-fighting measures	
	itable (and unsuitable) exting	uishing media
	inguishing media	: Dry chemical, CO2, dry sand, or alcohol-resistant foam.
	extinguishing media	: Do not use direct water stream. May spread fire.
5.2. Spe	ecific hazards arising from th	e chemical
Fire hazard		: Combustible.
Explosion ha	azard	: Product is not explosive.
Reactivity		: No dangerous reactions known under normal conditions of use.
5.3. Spe	ecial protective equipment ar	nd precautions for fire-fighters
Firefighting i		: Fight fire with normal precautions from a reasonable distance.
• •	luring firefighting	: Avoid breathing smoke, fumes, and decomposition products. Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6:	Accidental release measures	
6.1. Per	rsonal precautions, protective	e equipment and emergency procedures
General mea	asures	: Avoid breathing and contact with skin and eyes. Evacuate area. Keep upwind.
6.1.1. For	r non-emergency personnel	
Protective e		: Wear Protective equipment as described in Section 8.
Emergency		: Evacuate unnecessary personnel.
	r emergency responders	Monage it is here we to still a station of a state of the
Protective e	equipment	 Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.
6.2. Env	vironmental precautions	
	information available	
6.3. Met	thods and material for contai	nment and cleaning up
	information available	
	ference to other sections	
	information available	
	Handling and storage	
	ecautions for safe handling	: Do not handle until all safety precautions have been read and understood. Avoid contact with
Precautions	for sale handling	skin and eyes, inhalation of dust. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash thoroughly after handling.
7.2. Cor	nditions for safe storage, inc	luding any incompatibilities
Storage con	nditions	: Store in a ventilated area, far from open flames and areas where danger of fire exists. Store in a ventilated area. Store in a dry place. Store in a closed container.

SECTION 8: Exposure of	controls/personal protection
------------------------	------------------------------

8.1. Control parameters

Hexanoic acid, 6-bromo- (4224-70-8)		
ACGIH	Remark (ACGIH)	OELs not established
OSHA	Remark (OSHA)	OELs not established
Iodoethane (75-03-6)		
Iodoethane (75-03-6) ACGIH	Remark (ACGIH)	OELs not established

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Phosphate(1-), hexafluoro-, potassium (17084-13-8)			
ACGIH	Remark (ACGIH)	OELs not established	
OSHA	Remark (OSHA)	OELs not established	
2-(2-Aminoethoxy)eth	anol (929-06-6)		
ACGIH	Remark (ACGIH)	OELs not established	
OSHA	Remark (OSHA)	OELs not established	
1H-Benz[e]indole, 1,1,	2-trimethyl (41532-84-7)		
ACGIH	Remark (ACGIH)	OELs not established	
OSHA	Remark (OSHA)	OELs not established	
Phosphorodiamidous	Phosphorodiamidous acid, tetrakis(1-methylethyl)-,2-cyanoethyl ester (102691-36-1)		
ACGIH	Remark (ACGIH)	OELs not established	
OSHA	Remark (OSHA)	OELs not established	
Malonaldehyde Dianilide Hydrochloride (28140-60-5)			
ACGIH	Remark (ACGIH)	OELs not established	
OSHA	Remark (OSHA)	OELs not established	

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment symbol(s):



Personal protective equipment:

Gloves. Safety glasses.

Hand protection:

Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves should be recommended by the glove supplier.

Eye protection:

Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airborne particles

Skin and body protection:

Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.

Respiratory protection:

Use NIOSH (or other equivalent national standard) -approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Solid		
Appearance	: Powder.		
Color	: Blue-Green		
Odor	: None		
Odor threshold	: No data available		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

· · · · · · · · · · · · · · · · · · ·	
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)) : No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Contact with certain metals.

10.5. Incompatible materials

May be corrosive to metals.

10.6. Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Phosphate(1-), hexafluoro-, potassium (17084	-13-8)
LD50 oral rat	≈ 1400 mg/kg bodyweight Animal: rat, Animal sex: male
2-(2-Aminoethoxy)ethanol (929-06-6)	
LD50 oral rat	3 g/kg
LD50 dermal rabbit	1260 mg/kg
LC50 Inhalation - Rat	> 8.7 mg/m³ (Exposure time: 8 h)
Malonaldehyde Dianilide Hydrochloride (2814	0-60-5)
LD50 oral rat	≈ 1380 mg/kg
Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitisation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	 Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing genetic defects.
Symptoms/effects after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation
Symptoms/effects after skin contact	: Causes severe skin burns. May cause an allergic skin reaction
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Harmful if swallowed.
Chronic symptoms	: Suspected of causing genetic defects.

12.1.	Toxicity	
Ecolog	yy - general	: No information available.
12.2.	Persistence and degradability	
Quasa	ar 705 Amidite	
Persis	tence and degradability	No information available.
12.3.	Bioaccumulative potential	
Quasa	ar 705 Amidite	
Bioaco	cumulative potential	No information available.
12.4.	Mobility in soil	
Quasa	ar 705 Amidite	
Ecolog	gy - soil	No information available.
SECTIC		
SECTIC		
	N 13: Disposal considerations	
13.1.	IN 13: Disposal considerations Disposal methods treatment methods	: Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.
13.1. Waste	Disposal methods	
13.1. Waste Produc	Disposal methods treatment methods	product to be released into the environment.
13.1. Waste Produc SECTIC Depar	Disposal methods treatment methods ct/Packaging disposal recommendations	product to be released into the environment.
13.1. Waste Product SECTIC Depar In acco Transp UN-No	Disposal methods treatment methods ct/Packaging disposal recommendations IN 14: Transport information tment of Transportation (DOT) ordance with DOT port document description (DOT) 0.(DOT) Shipping Name (DOT)	product to be released into the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT)	: 4.1 - Flammable solid
	TAMMALE BOD
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 25 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 100 kg
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Emergency Response Guide (ERG) Number	: 133
Other information	: No supplementary information available.
Department of Transportation (DOT)	
Transport by sea (IMDG)	
Transport document description (IMDG)	: UN 3178 FLAMMABLE SOLID, INORGANIC, N.O.S., 4.1, III
UN-No. (IMDG)	: 3178
Proper Shipping Name (IMDG)	: FLAMMABLE SOLID, INORGANIC, N.O.S.
Class (IMDG)	: 4.1 - Flammable solids, self-reactive substances, solid desensitized explosives and polymerizing substances
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5 kg
Air transport (IATA)	
Transport document description (IATA)	: UN 3178 Flammable solid, inorganic, n.o.s., 4.1, III
UN-No. (IATA)	: 3178
Proper Shipping Name (IATA)	: Flammable solid, inorganic, n.o.s.
Class (IATA)	: 4.1 - Flammable Solids; Self-Reactive Substances; Polymerizing Substances; and Solid Desensitized Explosives

SECTION 15: Regulatory information

15.1. US Federal regulations

Quasar 705 Amidite

All chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021 or are otherwise exempt, or regulated by other agencies such as FDA or FIFRA

15.2. International regulations

No additional information available

15.3. US State regulations

Component	State or local regulations
2-(2-Aminoethoxy)ethanol(929-06-6)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Massachusetts - Right To Know List

SECTION 16: Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.
NFPA fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
HMIS Hazard Rating	
Health	: 3
Flammability	: 2
Physical	: 0
-	

Personal protection

This information is disclosed to the best of LGC's knowledge. This document does not constitute a contractual relationship with product end users or handlers with respect to the possible presence of hazards in this item. Disposal should be in accordance with applicable regional, national and local laws and regulations.