# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 Version 5.4 Revision Date 08.05.2013 Print Date 30.04.2014

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : N-Lauroylsarcosine sodium salt

Product Number : L5777
Brand : Sigma

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 137-16-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Riedstrasse 2

D-89555 STEINHEIM

Telephone : +49 89-6513-1444 Fax : +49 7329-97-2319 E-mail address : eurtechsery@sial.com

1.4 Emergency telephone number

Emergency Phone # : +49 7329-97-2323

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Inhalation (Category 2), H330

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

# Classification according to EU Directives 67/548/EEC or 1999/45/EC

T, Xi Toxic, Irritant R23, R38, R41

For the full text of the R-phrases mentioned in this Section, see Section 16.

# 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280 Wear protective gloves/ eye protection/ face protection.

P284 Wear respiratory protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards - none

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : N-Dodecanoyl-N-methylglycine

Sarkosvl NL

Formula : C<sub>15</sub>H<sub>28</sub>NNaO<sub>3</sub>

Molecular Weight : 293,38 g/mol

CAS-No. : 137-16-6

EC-No. : 205-281-5

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration		
Sodium N-lauroylsarcosinate					
CAS-No.	137-16-6	Acute Tox. 2; Skin Irrit. 2;	Eye <= 100 %		
EC-No.	205-281-5	Dam. 1; H315, H318, H33	0		

Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration		
Sodium N-lauroylsarcosinate					
CAS-No.	137-16-6	T, R23 - R38 - R41	<= 100 %		
EC-No.	205-281-5				

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

Sigma - L5777 Page 2 of 8

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NOx), Sodium oxides

#### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

no data available

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Ensure all equipment is electrically grounded before beginning transfer operations.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

#### 7.3 Specific end use(s)

A part from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Components with workplace control parameters

### 8.2 Exposure controls

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of

Sigma - L5777 Page 3 of 8

contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Melting point/freezing point: 146,1 °C at 1.013 hPa

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: white

b) Odour no data availablec) Odour Threshold no data available

d) pH 7,0 - 9 at 293 g/l at 25 °C

., o o at 200 g/. at 20

point

f) Initial boiling point and 350 - 410 °C at 1.013 hPa

boiling range

Melting point/freezing

g) Flash point 267 °C - closed cup
h) Evapouration rate no data available
i) Flammability (solid, gas) no data available
j) Upper/lower no data available

flammability or explosive limits

) Vapour pressure 0,02 hPa at 20 °C

Sigma - L5777 Page 4 of 8

I) Vapour density no data availablem) Relative density 1,141 g/cm3 at 20 °C

n) Water solubility 293 g/l at 20 °C - completely soluble

o) Partition coefficient: n-

octanol/water

no data available

p) Auto-ignition temperature

no data available

q) Decomposition temperature

no data available

r) Viscosity no data available
 s) Explosive properties no data available
 t) Oxidizing properties no data available

# 9.2 Other safety information

Bulk density 400 kg/m3

Surface tension 40.5 mN/m at 20 °C

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

no data available

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

Other decomposition products - no data available In the event of fire: see section 5

in the event of the, see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - rat - male and female - > 5.000 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - rat - 4 h - 0,05 - 0,5 mg/l

### Skin corrosion/irritation

Skin - rabbit

Result: Irritating to skin.

# Serious eye damage/eye irritation

Eyes - rabbit

Result: Risk of serious damage to eyes.

(OECD Test Guideline 405)

### Respiratory or skin sensitisation

Maximisation Test - guinea pig

Result: Does not cause skin sensitisation.

Sigma - L5777 Page 5 of 8

### Germ cell mutagenicity

no data available

Chromosome aberration test in vitro

Human lymphocytes Result: negative

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

### Reproductive toxicity

no data available

# Specific target organ toxicity - single exposure

no data available

### Specific target organ toxicity - repeated exposure

no data available

#### **Aspiration hazard**

no data available

#### **Additional Information**

Repeated dose toxicity - rat - male and female - Oral - No observed adverse effect level - 30 mg/kg RTECS: Not available

Cough, wheezing, respiratory difficulties, Diarrhoea, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish semi-static test EC50 - Danio rerio (zebra fish) - 107 mg/l - 96 h

(OECD Test Guideline 203)

(OECD Test Guideline 202)

Toxicity to daphnia and

Immobilization LC50 - Daphnia magna (Water flea) - 29,7 mg/l - 48 h

other aquatic

Toxicity to algae

invertebrates

static test EC50 - Desmodesmus subspicatus (green algae) - 79 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria Respiration inhibition NOEC - Sludge Treatment - 100 mg/l - 3 h

(OECD Test Guideline 209)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 82 % - Readily biodegradable.

### 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

no data available

Sigma - L5777 Page 6 of 8

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# **Contaminated packaging**

Dispose of as unused product.

# **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 2811 IMDG: 2811 IATA: 2811

#### 14.2 UN proper shipping name

ADR/RID: TOXIC SOLID, ORGANIC, N.O.S. (Sodium N-lauroylsarcosinate) TOXIC SOLID, ORGANIC, N.O.S. (Sodium N-lauroylsarcosinate)

IATA: Toxic solid, organic, n.o.s. (Sodium N-lauroylsarcosinate)

### 14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

#### 14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

#### 14.6 Special precautions for user

no data available

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled. Skin Irrit. Skin irritation

# Full text of R-phrases referred to under sections 2 and 3

T Toxic

R23 Toxic by inhalation. R38 Irritating to skin.

R41 Risk of serious damage to eyes.

Sigma - L5777 Page 7 of 8

### **Further information**

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma - L5777 Page 8 of 8